







FOUNDATION NOTES:

- ## GENERAL LIGHTING NOTES

LUMINAIRE SCHEDULE					
SYMBOL	QTY	ARRANGEMENT	LUMENS	LLF	DESCRIPTION
	A	SINGLE	5700	0.72	DRIVE-THRU CANOPY PA0232K27 MOUNTING HEIGHT=1'3"
	B	SINGLE	N/A	0.90	PHILIPS GARDCO ECOFORM AREA LIGHT MH=1'8" ECF-ADP-1-4-105-321A-NW-UNV-BLP
	C	SINGLE	1800	0.72	RECESSED DOWNLIGHT 8311 C03LX-25W MOUNTING HEIGHT=1'0"
	D	DOUBLE @ 180	N/A	0.90	PHILIPS GARDCO ECOFORM AREA LIGHT MH=1'8" ECF-ADP-2-4-105-321A-NW-UNV-BLP

DESIGN CRITERIA

MINIMUM ALLOWABLE BEARING PRESSURE = 3,000 PSF - ASSUMED (TO BE VERIFIED IN FIELD)

SOIL FRICTION ANGLE = 30 DEG - ASSUMED (TO BE VERIFIED IN FIELD)



SOIL DRY UNIT WEIGHT = 120 PCF - ASSUMED (TO BE VERIFIED IN FIELD)

PRELIMINARY

PROJECT:

**SITE PLAN
DOCUMENTS**

FOR



PROFESSIONAL ENGINEER
MASSACHUSETTS LICENSE No. 42644
RHODE ISLAND LICENSE No. 7268
CONNECTICUT LICENSE No. 21854
NEW HAMPSHIRE LICENSE No. 10286
MAINE LICENSE No. 9490
NEW YORK LICENSE No. 071284-1
FLORIDA LICENSE No. 66202

SHEET TITLE:

SHEET NUMBER

12 OF 14

REV 0 - 12/12/2013